



ARCHITECTURAL PANEL COLOR GUIDE

PolyVision®  
a steelcase company

## PANEL COLOR OPTIONS

### Standard

All a<sup>3</sup>™ CeramicSteel Panels—Standard, Finished Edge, Protected Edge and Flexible—are available in the following 10 standard enamel colors.

	<b>Traffic White*</b> Matte 9016 RAL High Gloss 9016 RAL Pantone Match Cool Gray 1C
	<b>Signal White</b> Matte 9003 RAL High Gloss 9003 RAL Pantone Match Cool Gray 1C
	<b>Cream</b> Matte 9001 RAL High Gloss 9001 RAL Pantone Match 7527 C
	<b>Light Ivory</b> Matte 1015 RAL High Gloss 1015 RAL Pantone Match 468 C
	<b>Light Gray</b> Matte 7035 RAL High Gloss 7035 RAL Pantone Match 420C
	<b>Mouse Gray</b> Matte 7005 RAL High Gloss 7005 RAL Pantone Match 424 C
	<b>Traffic Red</b> High Gloss 3020 RAL Pantone Match 7599 C
	<b>Sky Blue</b> High Gloss 5015 RAL Pantone Match 660 C
	<b>Gentian Blue</b> Matte 5010 RAL High Gloss 5010 RAL Pantone Match 7686 C
	<b>Jet Black</b> High Gloss 9005 RAL Pantone Match Neutral Black C

### Custom

Custom enamel colors can be matched to a sample reference. The graphic below illustrates the approximate range of colors available.

#### Color 1

Custom color matched to sample or reference.

#### Panel Dimensions

Base Color Options	Max Dimensions
Color 1	1200 mm x 5000 mm



#### Custom enamel color range

Highlighted colors (within dark gray border) represent the approximate ideal color range available for custom enamel. Not all colors within the complete color wheel are possible.

*\*Traffic White enamel is used for all Surface Imaging applications. Actual colors may vary from the colors shown. Please contact your sales representative for color samples.*

## SURFACE IMAGING OPTIONS

PolyVision’s Surface Imaging allows you to add imagery to a<sup>3</sup> CeramicSteel panels. Choose from our state-of-the-art digital printing process or handcrafted screen printing.

### Digital 1

Single or multicolor digitally printed inorganic image.

### Digital 2

Single or multicolor digitally printed inorganic image with added durability for exterior environments.

### Screen 1


Single or multicolor screen printed inorganic images for any environment.

### Panel Limitations

- Surface Imaging is available on all panels except Flexible Panels Series: Flexible 1.
- All Surface Imaging must be completed on Traffic White base enamel for all panels.  
(See Traffic White, Standard Panel Colors on page 32.)

### Panel Dimensions

Surface Imaging Options	Max Dimensions
Digital 1	1200 mm x 5000 mm
Digital 2	1200 mm x 5000 mm
Screen 1	1200 mm x 4000 mm



**Digital Printing: ideal color range**

Highlighted colors (within dark gray border) represent the approximate ideal color range available for digital printing. Not all colors within the complete color wheel are possible.



**Screen Printing: ideal color range**

Highlighted colors (within dark gray border) represent the approximate ideal color range available for screen printing. Not all colors within the complete color wheel are possible.

# PolyVision®

polyvision.com

PolyVision Americas  
10700 Abbotts Bridge Rd.  
Suite 100  
Duluth, GA 30097 USA  
Tel. 1-888-325-6351  
info@polyvision.com

PolyVision Europe  
Zuiderring 56  
3600 Genk, Belgium  
Tel. +32(0)89-32 31 30  
info@polyvision.be

PolyVision Asia-Pacific  
15th Floor, Kinwick Centre  
32 Hollywood Road, Central District  
Hong Kong  
Tel. +32(0)89-32 31 30  
info@polyvision.be



Environmental Policy: PolyVision strives for continuous improvement in all areas of environmental stewardship—responsible use of raw materials and natural resources, design processes, and operation of all facilities—to protect, replenish and restore the communities in which we live and serve.

©2015 PolyVision Corporation. All rights reserved. Trademarks used herein are the property of PolyVision Corporation or of their respective owner. PolyVision Corporation reserves the right to make changes in product design, construction or detail, and to discontinue any product or material without notice.